

Tree trunk with mosaic

Instructions No. 3286

Difficulty: Beginner 🍷🍷🍷🍷

Working time: 3 Hours

Are you looking for a unique, creative way to decorate your home? Then our DIY-"**Tree trunk with glass block mosaic**" project is just the thing for you! These step-by-step instructions will guide you through the process of creating a fascinating decorative piece that will not only only showcase your creative skills, but will also be a real eye-catcher in your home. You will learn how to turn a simple **pine tree trunk** into an impressive work of art in just a few simple steps. Be inspired by the beauty and versatility of mosaic design and experience the calming effect of creative work.



Design tree trunks with glass block mosaic



Step 1: Preparing the materials

Before you get started, make sure you have all the materials you need to hand. A well-prepared workplace ensures a smooth process and prevents unnecessary interruptions.

Step 2: Glue on mosaic stones

Start by gluing the glass block-mosaic stones to the pine logs using assembly adhesive. Be creative and design a pattern that you particularly like. You can use mosaic tongs to cut the mosaic stones to size. This will help you to break the stones into the desired shape. Don't forget to always wear safety goggles when cutting to protect your eyes from possible splinters. Once you have attached the stones, allow the glue to dry thoroughly before continuing.

Step 3: Mix joint filler

Mix the mosaic-joint filler according to the instructions on the pack. The joint filler ensures that the mosaic pieces remain firmly in place and that the overall look is harmonious.

Step 4: Apply the joint filler

Apply the mixed joint filler to the mosaic using a spatula. Make sure that all joints are well filled. you can carefully remove any excess joint filler with a damp sponge. The mosaic stones is cleaned at the same time.



Step 5: Drying process

Allow the joint filler to dry thoroughly. This phase requires a little patience, but is crucial for the longevity of your mosaic.

Step 6: Applying the grout finish

Finally, apply a grout finish to the mosaic. This seals the designed surface and protects it from dirt and moisture, ensuring that your work of art will be enjoyed for a long time.

Must Have

[Artdeco glass stone mosaic mix, Colourful-Mix](#)

● **27,40 CHF** (1 kg = 27,40 CHF)

[Item details](#)

Quantity:  

Add to
cart





New instructions

Straight to your inbox every week

register now >

Article information:

Article number	Article name	Qty
25814	Artdeco glass stone mosaic mixColourful-Mix	1
25813	Artdeco glass stone mosaic mixNatural-tones	1
24622	VBS Pine tree trunk	1
25426	UHU KRAFT Montage Universal, 200g	1
26730	VBS Joint filler, 350 gWhite	1
118040	Mosaic joint finish, 100ml	1
131056	VBS Plastic spatula, 5 parts	1
330350	VBS Painting sponges, 3 pieces	1
130370	Mosaic tongs	1
130516	Safety goggles	1