Workshop: Laying mosaics

Instructions No. 229

Difficulty: Advanced

Laying mosaics is an ancient method for the impressive design of surfaces. With a little practice you can lay great pictures, ornaments and even lettering on wood, metal, glass and many other surfaces. Whether glass mosaic stones, ceramic minis or spherical muggle stones, the **mosaic technique** is always the same. Learn here how it works.

1. Mosaic

Spread a not too large area of the pre-drawn motif evenly with mounting adhesive.
Use the tile tongs to break off pieces that fit exactly and lay them with approx. 1 mm wide joints.

Tip: The stones can also be painted individually with assembly adhesive and then laid. Especially small stones stick better this way.



2. Joint Filler flood in

stirJoint Filler into the appropriate amount of water (please follow the product instructions).

Tip: It must have the consistency of firm cake dough for processing. work Joint Filler into the mosaic with a soft brush until all the joints are evenly filled.



2. Finish the mosaic

As soon as the Joint Filler has dried, carefully wipe the mosaic with a damp sponge. Let it dry for 24 hours, then wipe the mosaic again with a damp cloth and polish it with a soft cloth.



Must Have

10% off VBS items



VBS Joint filler, 350 g, White

Weight: 350 g

6,98 CHF (1 kg = 19,94 CHF)
~~7,75 CHF~~

Item details

Quantity: - 1 + Add to cart

Article information:

Article number	Article name	Qty
430869	Glass-Mosaic stones "Colourful mix"	1
430821	Soft glass-Mosaic stones, "Colourful mix", 500 g	1
550505-14	VBS Bristle brushes "Nature"Size 14	1
810401	Mixing cup made of rubber	1
130370	Mosaic tongs	1
330350	VBS Painting sponges, 3 pieces	1
661140	VBS Wooden sticks "Nature"	1
118026-01	Transparent mosaic glue50 g	1
26730	VBS Joint filler, 350 gWhite	1